



Garaventa Xpress II Inclined Platform Lift

Dolphin Stairlifts

Gurlyn Farm
Relubbus
Penzance
Cornwall
TR20 9DA

Phone: 01736 763580

E-mail: info@dolphinstairlifts.co.uk

Web: www.dolphinstairlifts.co.uk



Garaventa Stair-Lift Xpress II



inclined platform lift for straight stairways



The Garaventa Stair-Lift Xpress II model is an inclined platform lift designed for straight stairways. The Xpress II is a safe, reliable and cost-effective accessibility solution. This lift can be installed on your site with little to no structural modifications.

XPRESS II - Inclined Platform Lift

Stair-Lift Xpress II Technical Information

Standard Platform Sizes:

800mm x 1000mm (31 1/2" x 39 3/8")
800mm x 1220mm (31 1/2" x 48")
750mm x 900mm (29 1/2" x 35 1/2")

Optional Platform Sizes:

675mm x 1000mm (26 1/2" x 39 3/8")
725mm x 1000mm (28 1/2" x 39 3/8")

Rated Load: 225 kg (495 lbs)

Speed: Up: 4 meters (13ft.) per minute
Down: 4.9 meters (16ft.) per minute

Operating Controls: Key switch, constant pressure switches, 24 VDC.

Drive System:

Motor: 0.75 H.P.

Power Supply: 208-240 VAC, 50/60 HZ single phase on a dedicated 20 amp. circuit.

Power Transmission:

Rack & pinion

Emergency Use: A handwheel is provided. Auxiliary power system available.

Rail System: Champagne anodized aluminum extrusion with integrally mounted zinc plated gear rack.

Overspeed Safety: Mechanical overspeed sensor and lock, with electrical drive cut-out protection.

Xpress Delivery Time: Standardized components allow us to provide custom configured lifts with very fast delivery times.

When straight stairways pose an accessibility challenge, the Xpress II is the solution. Built with the quality and reliability you expect from Garaventa, this attractively finished lift is designed for straight stairways.

Standard Features

- One-touch controls
- Under platform sensing plate and bi-directional ramp sensors
- Emergency manual lowering system
- Ready lamp safety indicator
- Key controlled operation
- Power-fold platform and ramps
- Platform folds to a narrow profile for maximum stairway clearance
- Choice of two platform sizes
- Passenger grabrail



The Xpress II can be equipped with optional powered safety arms



The Auto Fold feature automatically folds the platform if left unattended for a period of time at a landing (optional)

Optional Features

- Auxiliary power system
- Fire alarm integration
- Powered safety arms
- Folding seat
- Audio-visual pedestrian alert
- Side-load ramp for installations with small lower landings
- Attendant hand control
- Narrow platform sizes
- Platform folds automatically if left unattended at landing



The optional fold-down ambulatory seat allows a person with limited mobility to comfortably operate the Xpress II